Pre Hospital use of Scenarios in Paramedic Education

Authors:

David Halliwell – MSc. Paramedic, FIfL.

David was the Head of Education for South Western Ambulance NHS for the last 8 years, having previously been a senior resuscitation officer, and paramedic for the last 20+ years. David has recently moved to the Middle East as Managing Director for Prometheus Medical (MENA), assisting with Paramedic and skills development throughout the Middle East and is currently completing his PhD in paramedic education.

Lizzie Ryan, MEd, MBA, MSc, RN, FIfL is the Education Business Manager of South Western Ambulance Service NHS Foundation Trust, and is a registered nurse. She is an educationalist and her role involves the development of higher education links for paramedic development and clinical leadership and management in her Trust. She is also a lecturer practitioner for the Open University, Bournemouth, Plymouth and Loughborough Universities, and is currently completing an EdD.

Paul Jones, BSc (Hons) Cert Ed Paramedic has been the Programme Lead for South Western Ambulance NHS Trust for the past 5 years. Though no longer the Bournemouth University Programme Coordinator for their FdSc Paramedic Science Programme, he remains as a lecturer practitioner and lead for the BSc (Hons) Emergency and Urgent Care Programme. Paul has been in the ambulance service for the past 20+ years and continues to develop vocational and higher educational courses for paramedics.

Key Words: Pre-hospital, Education, Simulation, Technical Competence, Practical Competence Logistical Competence and Scenario Competence.

Background

The Training Team in South Western Ambulance NHS Foundation Trust (SWAST) has been evaluating various methods to decrease the numbers of failures within student paramedic practical examinations, and has developed strategies for enhanced student experience and performance. This paper reviews a new paradigm for paramedic scenario-based education, focusing on the increased role of the tutor knowledge, and the enhancement of the importance of understanding logistical concerns in pre hospital care.

The Theory: Setting the scene

This paper outlines the methods used to develop a model for the use of training simulation in prehospital care using case studies undertaken within a United Kingdom (UK) ambulance service and suggests a new paradigm for teaching emergency care to ensure increased performance.




Fig 1: The Basic Concept (Halliwell et al. 2012)

The authors consider the four stages that should be considered by tutors before their students are exposed to clinical scenarios for educational purposes. These stages of paramedic education are relatively unique since the teaching and understanding of logistical considerations are not necessarily a significant concern to other clinicians from wider health disciplines. In pre-hospital care our role includes the movement of patients and creation of access to patients, who may be trapped or requiring us to work within a confined space, in order that we can deliver our care (fig. 1).

The First Stage of the Paradigm: Technical Competence (fig. 1)

Before attempting to run any clinical scenario or simulation the tutor must ensure that the student has the technical competence and clinical knowledge to perform the skill or task otherwise the scenario will be setting the student up to fail, and may be seen as a pointless exercise and we would not be achieving our objective. This is referred to by the Authors as the 'How', 'Why' and 'Who said' of healthcare.

Understanding the 'how' and 'why' of healthcare is vitally important and the authors believe that the tutors role in ensuring **accuracy of information** and having the **ability to transmit** the information in a method that is clearly understood by the student when teaching any information is key (fig. 10).

The 'who said' of healthcare is the understanding of the underlying evidence, and the technical evidence, that underpins our profession. This is sometimes lacking in pre-hospital care, certainly in the UK, and it is only in recent years that UK Paramedics and ambulance practitioners have been undertaking clinical research. Advances are being made, however, and existing paramedic resources are now being updated to include evidence updated to include evidence bases; for example, the revision of Nancy Caroline (2012).

Far too often, as senior managers with responsibility for deciding the future of failing students, we track the students performance and educational failures backwards from the point of failure to try and understand what may have gone wrong and establish why a student may have failed to perform. Occasionally we find ourselves in a position where our tutors don't teach or know everything in the detail that they should have, and a failure in an assessment is linked to poor tutor knowledge rather than that of the student.

We don't believe that we are unique in this finding as the quality of the education can be a determinant in the student's future (Plato 1985). Banks et al (2000) described a simple construct model that tutors could use to develop their practice (fig. 2). This model indicates that teachers should 'know their stuff' (**subject knowledge**), 'know how to teach their stuff' (**pedagogic knowledge**) and know how to teach stuff' in their institution (**institutional knowledge**) (p.23). The rapidly changing technological base that they are working from affects the design of the teaching process and the tutor knowledge.





Fig 2: A simple construct model for tutors to develop their practice in teaching students (adapted from Banks et al. 2000)

This concept can be linked to those found in research relating to the **unconsciously incompetent** proposed by Howell (1979, 1982), who described four elements of gaining competence. The first element is that of **unconscious incompetence** where the student's perception is that they are not making any errors, but in reality they are making mistakes that they do not know about; here accurate **feedback** from the tutor is essential if practice is to be improved or changed. Unfortunately the tutor may have some responsibility for this, and the errors may be due to the fact that the tutor themselves have not been taught correctly, and simply do not know any better, or have misinterpreted the information that was provided. If we have unconsciously incompetent tutors there is a chance that the wrong information or poor practice may be passed on to students, and a cycle of poor performance could be reinforced.

Next comes **conscious incompetence** where the student becomes aware of the errors and shortfalls in their knowledge, but is not sure how to address them; here accurate and effective training is key. The third element describes **conscious competence** where the student develops an understanding and begins to know what to do, and can differentiate between what works and what does not; here the students develops and hones their skills with experience and skills practice supported by the tutor. The fourth element describes **unconscious competence** with the student modifying their behavior and becoming intuitive (Ryan and Halliwell 2012). There is an advanced level described **unconscious super competence** when the performance is 'effortless' but this stage requires the input of reflective and evidence based practice, and a maturity of approach to the task (fig.3).

We suggest that often tutors teach the processes and procedures that they were taught, thereby reinforcing many of the myths in pre hospital care. This is not uncommon in education where the 'see one, do one, teach one' mentality may still exist.





The Second Stage of the Paradigm: Practical Application (Manikin) Competence

The second stage in the process of reviewing the new paradigm for paramedic education is to consider the creation of muscle memory through skills practice. This concept is referred to as **manikin competence**, but this descriptor can change dependent on the task or activity being learnt. This occurs once the student has the technical ability and understanding, and it is preferable to allow them the opportunity to practice their technical skills on manikins or skills trainers. To achieve this stage the tutor must first ensure that they know how to use the simulation equipment (fig. 10). This stage creates physical dexterity, **muscle memory** (Krakauer and Shadmehr 2006), and assist with the building of mental bridges. It can be used to decrease the need for attention and creates maximum motor and memory system efficiency; for example, practicing Cardio-Pulmonary Resuscitation (CPR) in order to gain a feeling for the correct depth and rate of chest compression.

Muscle Memory

What does it mean to learn a new skill and go from 'novice' to 'expert' described by Benner (2001)? In the world of pre-hospital care this learning means **memorising** how to use our hands, and medical equipment in a coordinated way to save lives. But how does this **memorising** take place?

At first, we need to concentrate in order to make our hands, arms and feet move in just the right way, based on our perceptions of the event. What we're learning is **precision**; i.e. how to make

the correct depth of chest compression, or the appropriate technique of direct laryngoscopy without damaging the teeth.

Fine et al. (2002, Wolfe et al. 2009) have discovered that there are a large number of *internal* brain structures that work together with the *input* and *output* brain structures to form fleeting images in the mind. Using these images, we learn to interpret input signals, process them, and formulate output responses in a deliberate, conscious, way. But after a while, the 'seeing-thinking-doing' gradually becomes 'seeing-doing' because our muscles seem to 'know' and 'remember' just what to do. What we are learning now is **speed**, i.e. how to perform the task carefully and quickly. This is **muscle memory** (Krakauer and Shadmehr 2006), and Fine et al. (2002, Wolfe et al. 2009) often refer to this as **'kinesthetic memory'** or '**neuro-muscular facilitation'**. This type of memory stays with us even if we do not practice it for a while; for example, riding a bike. Wolpert et al. (2011) also describe "sensory-motor" learning, since we are combining sensing *input*, i.e. what we see with our eyes, with motor *output*, i.e. what we do with our body, we gather the information and process the sensory information in order to carry out the action.

Of course, during the 'drill-and-practice' (Tomei 1998), our muscles aren't really memorising anything, since all memories are stored in our brain; instead our brain interprets what we see and sends nerve signals to our muscles to make our body move. By making the same movements in response to the same visual cues over and over again, the associated nerve-muscle connections gradually become more *effective*, i.e. the transmission of the signals becomes more effective, and this is how the 'thinking' in the 'seeing-thinking-doing' process is gradually replaced by 'seeing-doing', i.e. by **muscle memory**. Della-Maggiore (2005) called this process '**consolidation**', and describes it as the stabilising part of the process.

In the world of paramedicine **muscle memory** is especially important because it's the combination of care and speed that make operators truly competent, or **unconsciously competent** (Howell 1979, 1982). In addition, muscle memory allows us to turn our attention to the 'bigger picture'; for example, to plan the next step in the activity or event, by taking over a large part of our 'cognitive load' (Pass et al. 2004). This involves the load related to the control of the working memory, and during complex activities the 'load' of information and interactions can work to under or overload the working memory; so continuous practice of a skill is essential in building **unconscious competence** (Howell 1979, 1982).

But there's a 'catch': to learn the new skills and acquire muscle memory, we must be practicing *properly*. This means effective feedback, right from the beginning of the learning process as novices do not know enough initially about doing things right to be able to notice, and correct, their own mistakes; the **unconsciously incompetent** (Howell 1979, 1982).

In addition, if they do not practice the skill or action properly, the student will continue to perform it incorrectly and they will then need to unlearn the skill or action practice in order to change any bad habits they have developed. Students need to have the ability to take a conscious control of their learning, and to be able to plan and develop their learning strategies and to monitor the effectiveness of them using self assessment and re-evaluation; then, and only then can they adjust their practice and reflect on the learning, this is called metacognitive awareness (Ridley et al. 1992). This helps them to be aware when they do something incorrectly and helps them to problem solve and apply reasoning to their actions (Scardamalia and Bereiter 1991).

That's why we strongly believe that 'perfect practice makes perfect.'

Acquiring skills is variable. Some people learn faster than others and go on to achieve higher levels of performance just because they were born with more pre-requisite physical abilities. Some individuals acquire ability more easily than others; however, this could be due to a number of contributing factors, including motivational and personality influences as well as previous learning experiences. These contributory factors can equip a person with knowledge, attitudes, skills, and self-confidence (Perkins, 1981).

The Third Stage of the Paradigm: Logistical Competence

Pre hospital care is a unique part of medicine since it involves many logistical considerations that students in other aspects of care do not need to worry about. They include: the need to create **space**; for example, the practitioner may need to **move** a patient out of the toilet where they have collapsed, creating **access** rather than trying to manage a cardiac arrest in a confined and dangerous space, or the methods used to move a peri-arrest patient from the bedroom of a house into the ambulance and on to hospital (fig. 10). There are a number of question we need to consider including: what are the facets of moving the patient as regards the patient's **physiological status**, and **clinical effects** of moving the patient post arrest; should we sit a ROSC patient in a carry chair; should they be brought down in a supine position and how is this best achieved (fig. 10)?

We encourage discussion of logistics prior to asking students to perform in complex clinical settings, since the student will be less likely to make mistakes if they have been given the opportunity to think through the practical and logistical problems that will affect their performance. The student should also be encouraged to consider the **method of transport** to be used including HEMS, Care, Ambulance, or non-conveyance (fig. 10).

Stage Four of the Paradigm: Scenario Competence

Once the student has the technical and manikin competence or practice, and understands the logistical aspects of patient care, they are ready to face the more complicated aspects of scenarios. This involves being challenged by 'real world' factors (fig.1), such as environment; for example, light, dark, heat; the manikins being replaced by real people; delivering care whilst working at height or in low O2 atmosphere etc.

So having described the 4 steps within the pre-hospital education paradigm, (technical, manikin, logistical and scenario), the authors suggest that the following are the most common mistakes made by pre-hospital educators.

The Main Areas of Concern

The authors believe that there are some main areas of concern in this process (fig. 4):




Fig 4:The Main areas of Concern

Common Problems with Technical Competence: the Tutor (fig. 5)

Far too often in paramedic education ambulance tutors have taught what they themselves were taught, often perpetuating the myths that surround paramedic care. Cascade training is often used as the method of choice in ambulance service process changes because it is seen as an efficient way of delivering education or training without having a negative effect upon operational cover. New pieces of equipment are introduced into ambulance services using cascade type training with many other techniques employed that may fall short of current best practice.




Fig 5: Common Problems with Technical Competence

Cascade training is based upon the perception that training can be provided from a centre to the peripheries and that the message will stay the same; however Roberts (1998) stated that:

'.... cascade may work if the message is strictly informational (for example about a new exam) but is liable not to work as intended if the message involves new practices based on new assumptions, theory and values.'

Hayes (2000) in a study on cascade training stated that 'the cascade is often reduced to a trickle by the time it reaches the student (teacher)' (p.135). In addition, Hayes commented that often the changes that are made a 'rapid and massive' and that this can lead to only a surface adherence to the required change, and the changes can be affected by the attitude of the student, the change itself and how it is communicated and the way in which the change is managed. Here the role of the tutor and their understanding of the skill or theory to be taught is key, and their disposition towards the required skill or change is key. Hayes (2000) described the dilution of the training and the fact that, as it is cascaded downwards, it becomes less and less understood, adding that it is not the model that is at fault but its implementation and the expertise at the top of the cascade.

In communicating with the student the tutor should follow a simple model of communication (fig. 6) (Shannon and Weaver 1949):

The authors also believe that (Deaux et al. 1993) communication is a two way process where the sender and the receiver are responsible parties, communication needs to be interactive and the two participants must have **common grounding**, **beliefs** and **assumptions** that support communication. The two parties (The tutor and the student) that contribute to the process have their own expectations and understanding of the **context** (Riley 2008) and themselves. Here **interpersonal communication** occurs using negotiation between the two participants, and can be affected by a range of **clinical guidelines**, **rules** and **protocols** (fig.7). In addition, the tutor needs to remember that they are facilitating practice (Riley 2008) rather than teaching it; this can bring cost pressures, resources and time constraints, as tutors need to be developed to change their style from traditional teaching to facilitation.

The authors suggest that not enough attention is given by tutors to actually take the time to understand the evidence base behind a particular skill that they are teaching, preferring to teach the information that they themselves were taught, causing classical communication and understanding issues. The pre-hospital environment is constantly evolving due to new technology and changing medical information and research and tutors need to identify their educational needs and then, using evidence-based practice, fill any gaps that they identify. They must be encouraged to attend conferences and network; however, opportunities for paramedics to learn skills from experts in their field are often limited due to lack of active researchers in the UK.




Fig 6: A simple model of Communication (Shannon and Weaver 1949)

Other possible problems with Technical Competence include: not enough time being given to lesson planning or researching sessions prior to delivery and tutors using other tutor's sessions, which they do not understand and tutors using pre- prepared instructor slide sets where they have not taken the time to actively learn or prepare their subject.

Common Problems with Technical Competence: The Student (fig 6)

The authors suggest that competence in the pre hospital arena is not just about knowledge and skills, it is about developing the ability to meet demands in complex situations that require the students to draw on psychosocial resources including the skills, attitudes, practical and communication skills required (fig. 10). The tutors need to consider the knowledge and skills that the student has using an individual training needs analysis approach, as well as the traits of the student, their attitudes (personal and social values), self-control and self-confidence. If the student does not believe they can do the task this could impact on their performance and its sustainability, and this will impact on healthcare provision and adherence to guidelines etc.

A number of other factors inbuilt in the student, including personal motivation, can affect the broad nature, intensity and persistence of the effort (Campbell 1993); for example, students may gain competence in the ALS procedure but when in the practice setting the student may see paramedic with whom they work missing aspects of the process out, making them develop 'short cuts'. Here the development of clear objectives and learning outcomes is paramount, as this provides the end product and the rationale behind them, and the fact that a certain process will 'save lives'. Locke and Latham (1990) felt that feedback on practice, sufficient resources to carry

out a task, clear role expectations, clear standards of performance and the implied 'rewards' for accuracy were key to good practice.

As experienced educationalists the authors acknowledge that no two students are alike, each will have their own individual levels of motivation and attitude and will respond differently to different methods of teaching; something the tutor needs to be aware of. The learning styles, the way the student synthesises the information taught, the approaches to learning (surface, deep and strategic) and intellectual development of the student must be taken into consideration (Ryan and Halliwell 2012, Felder and Brent 2005). That is not to say that the tutor needs to individualise the learning but that they need to be aware of the differences and adapt to meet them, using a balanced approach that can attempt to match the students' preferences. The authors support the suggestion that students need to have (Felder and Brent 2005): a variety and choice of learning tasks to challenge their beliefs and attitudes; clear communication and an explanation of expectations; modeling, practice and feedback; a student centred learning environment where problem solving approaches are adopted and the respect of the tutors; although Riley (2008) states that this can become less organized, and so a structured approach is essential.

The student needs to have confidence in their ability and performance, in the correct amount, for good performance, as this maintains the students' confidence when in the practice environment. The authors suggest that the overconfident, however, student presents a problem as they may not listen to instruction, refusing to acknowledge potential weaknesses and the downfalls of their attitude, and this can affect their ability to develop or improve their practice, and lead to an overestimation of their performance and ability (Kruger and Dunning 1999). Feedback on the students' performance is key to the development of confidence, and helps to develop corrective changes; this is supported by opportunities to practice in a safe learning environment with the tutor's guidance, supported by constructive and honest feedback on their performance and the areas requiring change and improvement.

Common Problems with Practical Application (Manikin) Competence (fig. 7)

The authors have observed that there was often not enough time allowed for the preparation phase of practical application competence. The students are introduced to scenarios mirroring real life too early in the training process leading to student failure, as they still lack technical skills, haven't learned the practical competence and still lack the ability to put all the skills learnt into a skill set (fig, 10).

The scenarios are often planned so that they test aspects of the skill that are, as yet, beyond the student's ability or remit, or the student has not developed enough muscle memory, and may not have had time to consolidate their skills. Furthermore, The students have often not had enough time to discuss the logistical aspects, or create mental models of practice. These issues can lead to the scenario throwing up many factors, beyond those for which the student is being prepared, and often beyond the original objectives of the scenario (Riley 2008). It is the authors' belief that the time allocated to the practical coaching in the skill is limited, and time is often not set aside for this to be done; with tutors preferring to spend time on the underpinning theory to the detriment of practice. When the simulation requires a problem based approach, as it inevitably does in pre hospital education, the time allowed for this process to be worked through (Riley 2008) must be built into the process, and planned for, when designing the scenario.

Simulation using manikins should offer the opportunity to gain and assess skills though repeated practice in a safe environment (Kneebone 2003), and there needs to be objective measures of the

students' skills and abilities to test the skill in a safe environment where patient safety is not at risk. Simulation should offer a safe and student-centred approach to learning through repetition, but it must be underpinned with knowledge and a professional attitude, as well as knowledge of how to use the simulation equipment (fig. 10). Without time to practice skills muscle memory cannot develop (Krakauer and Shadmehr 2006), as this can only be enhanced with time and practice. In addition, the new skills need to be refreshed so they remain in the memory, and the learning process should involve a two way process where the tutor provides the conditions under which understanding is possible and the student takes responsibility for the learning opportunity (Rogers 1983). There needs to be a relationship between the practical training and real life application of clinical skills so the student can apply what they have learnt without having to 'unpick' it because it was too complicated or lacked reality (Kneebone 2003).




Fig 7: Common problems with Practical Application (Manikin) Competence

Common Problems with Logistical Competence (fig. 8)

The authors have found that logistical issues are often used in scenarios to create difficulty and this can detract from the actual ability of the student to perform the skills that the scenario was set up to review. This area should, the authors suggest be considered in all scenario teaching to support the student in considering and rehearsing the logistical considerations that may occur. These can be as simple as making more space around a patient, or where to place equipment at a cardiac arrest, or can be as complex as how to extricate a patient from a given area.

The authors recommend a 2-3 minute review of logistics with the student prior to them entering any given training scenario, with a discussion about all logistical issues with the tutor before the actual scenario begins using a simple question: 'can you envisage any logistical problems with this scene'? We suggest a logistically 'SMART' process to assist (fig. 10):

- Space: Can more space be created?
- Move: Can things be moved? Can the patient be moved?
- Access: How much of the patient do you need to access?
- **R**esources: Where are you going to place your equipment? Why?
- Transport: What will your method of transport be? What are the clinical effects of moving the patient? How will movement affect the patient's physiological status?




Fig 8: The Logistical Stage

Common Problems with Scenario Competence (fig. 9)

From the author's experience scenarios are often set without a clear understanding of the actual learning objective (Riley 2008). Scenarios are often set without a clear understanding of the actual learning objective (Riley 2008). Observation, and video review, of over 100 clinical scenarios SWAST has shown the authors that often the scenario involves the assessment of a wide range of skills beyond those that were probably intended by the designer of the scenario, including assessment of clinical skills, communication, and decision-making. In many cases the scenario fails to have the desired result due to logistical reasons including: setting equipment up in the wrong place, or not creating space sufficient to access the patient. Pre-hospital care covers 'any patient, of any age with any condition, in any environment and location'; often in scenarios students can face assessment in all of the above, which can be overwhelming for the student. We believe that by giving the student the opportunity to think through the logistics, as one would do in a 'seen examination' at university, they are better able to focus on the clinical aspects of delivering higher quality care.

Scenario based education is very common in paramedic education, because of the practical nature of paramedicine, and fits with the principles of adult learning, Androgogy (Knowles et al. 1980). Students need to know the reason for learning a task (**need to know**), they need to have the theory behind the task (**foundation**) and they need to be involved in the planning and evaluation of the task (**self-evaluation**). In addition, the task needs to be relevant to their role, the scenario needs to be problem centred (**orientation** to their role) and the students need to be motivated to learn (**motivation**). Most paramedic educational schemes in the UK use several patient simulators and a range of clinical scenarios to support the gradual acquisition of the necessary skills to approach and treat patients. This highly sophisticated process of learning encourages a hands-on training experience that fully engages students in a realistic and risk-free learning environment, and matching the simulation realism to the desired outcomes is key (Dieckmann et al. 2007). Risk-free simulation sessions prepare paramedic students that can offer better patient care in the real world.




Fig 9: The Scenario Competence

Clinical scenarios support paramedic education because they focus teaching practices on individual learning and use clinical scenarios to simulate real-life environments. These scenarios are designed to allow students to provide healthcare on increasing levels of complexity. Instructors are then able to assess the performance and proficiency of each student objectively. In a recent Laerdal Medical Publication Klarian (2012) stated that:

Clinical simulation is very human. It allows a student to feel what he/she is contributing, and it enhances skills and helps to overcome difficulties in the area of soft skills: knowledge, know-how and discipline (p.2) And felt that: Students learn by doing and this impacts directly on the quality of healthcare, since learning in a risk-free environment contributes to and builds confidence to prepare students for their initial approach and contact with real patients (p.2)

For tutors the use of simulation and clinical scenarios involves an understanding of the intended learning outcome and experience, and should address one or more of the relevant intended learning outcomes (Riley 2008) (fig. 10: Learning Outcomes). Simulation is being used to develop students in a number of professional spheres, and many types of simulation training experiences are used throughout a variety of medical disciplines and professions. Klarian (2012) concluded that *'As far as clinical scenario simulation is concerned, there's no doubt about its efficiency' (p.2)*. Simulation can be optimised for learning and South Western Ambulance NHS Foundation Trust and Bournemouth University surveys suggest that there is a high level of student satisfaction and enjoyment learning with simulation. Simulation, along with classroom training, prepares professionals for healthcare careers supporting the acquisition of knowledge, skills and values. When students graduate from a paramedic programme, having trained in critical and time pressured events safely, they are ready to apply what they have learnt in their work with patients. This hands-on educational model results in a higher quality of life and better public health.

Scenario Competence and the suggested application

As the tutor develops the scenario that they will use to practice a skill and to develop the students skills and performance they need to consider all the aspects discussed above as shown in Fig 10. The scenario needs to have a more structured approach to encompass all the areas of concern as well as considering the:

- 1. **Technical Competence:** ensuring that the tutor has the evidence base required and the student has the skills, knowledge and aptitude for the scenario before they are asked to complete it.
- 2. **Application (Manikin) Competence:** ensuring that the student has the time to develop the skills and coordination (muscle memory), required, and that they have been able to familiarise themselves with the equipment they will be using.
- 3. **Logistical Competence:** involving the creation of space to work in, ensuring that the patient and their surroundings can be moved so that access to the patient can be gained. Knowing the correct place for the equipment being used, and how the patient will be transported.

In developing the scenario we need to consider the three modes of thinking (Dieckmann et al. 2007) (fig, 10), and ensure that we can match the learning outcomes required to the 'Real World' (fig.1) including the:

7. Physical Mode: which includes the things that we can measure in fundamental physical and chemical terms, e.g. equipment, logistics etc. The tutor needs to adjust the scenario to potential external factors to provide reality in a safe setting, allowing the student to develop their skills in a number of potential reality scenarios to develop their muscle memory with the support of the tutor.

$2 \cdot$ Semantical Mode: which encompasses

- a. The technical aspects
- b. The information provided as part of the briefing
- c. The student's knowledge
- d. Concerns and concepts and their relationships; the application of theory to practice and the development of the decision making process (Ryan and Halliwell 2012).

This includes the theory behind the practice and how it is communicated (the way the student does things like taking a pulse and what they do if it decreases. This includes the type of manikin required and whether the student has been trained in its use.

3. Phenomenal Mode: which includes the fact that the participant experiences the scenario as a complex real time situation (The Real World in fig. 1), interacting with it; but also accepting that it is an educational event set up to simulate a 'real time' scenario. The student is assigned their role within the scenario and feels confident about that role and the interactions involved in it, e.g. the assistant practitioner. They are able, with time, to develop their coordination (muscle memory) and hand-eye coordination, as well as their priorities about safe and unsafe, normal and abnormal; their values.

The tutor must accept that the scenario is dynamic and will change depending on the introduction of 'reality' and the form that it takes, the differing learning needs and knowledge base of the of the student, the stage in the student's learning process and so on (Dieckmann et al. 2007).

What are the Learning Objectives of this Scenario?	
Do the learning objectives provide statements of <i>specific</i> intent, which give a what is expected during the scenario, i.e. do they specify the level, standard student is expected to achieve?	
	Yes 🔿 No 🔿
Technical Competence	
	Yes 🔿 No 🔿
Do the students have the Knowledge to perform this task?	
Do the students have the required skills to perform the given task?	Yes 🕐 No 💛
How do you know?	
Application (Manikin) Competence	
Have the students had time to practice?	Yes 🔿 No 🔿
Have the students had time to familiarise themselves with all equipment?	Yes 🔿 No 🔿
Logistical Competence	
What logistical considerations should the student expect within this scen	ario? SMART
Space: Can more space be created?	Yes 🔿 No 🔿
Move: Can things be moved? Can the patient be moved?	Yes 🔿 No 🔿
Access: How much of the patient do you need to access?	
All 🔿 Head 🔿 Torso 🔿 Upper Limbs 🔿 Lower Lim	bs
Resources: Where are you going to place your equipment?	
Transport: What will your method of transport be?	
Ambulance O Car O HEMs O Non-conveyance O Other	0
What are the clinical effects of moving the patient?	
How will movement affect the patient's physiological status?	
NB; Ensure a discussion with student before the scenario commences to ensure all logistical issues	have been considered.

Scenario		
Based on Dieck	nann, P. et al (2007)	
-	Mode: this includes the aspects that are ms using measuring dimensions, e.g. equi	
Equipment requ	iired:	
Environmental	ssues:	
Are you adjusti	ng the external factors?Yes 🔵 No 🔵	
If yes, how?		
	cal Mode: this involves the concerns, con	
and includes the way the	the application of theory to practice and student takes a pulse and what they do if	how it is communicated, e.g.
and includes	the application of theory to practice and student takes a pulse and what they do if	how it is communicated, e.g.
and includes the way the Type of Manikir . The Phenom a complex r	the application of theory to practice and student takes a pulse and what they do if	how it is communicated, e.g. it decreases. t experiencing the scenario a at also accepting that it is an
and includes the way the Type of Manikin 3. The Phenom a complex r educational	the application of theory to practice and student takes a pulse and what they do if Required? enal Mode: this includes the participan eal time situation, interacting with it; bu	how it is communicated, e.g. it decreases. t experiencing the scenario a at also accepting that it is an enario
and includes the way the Type of Manikin 3. The Phenom a complex r educational	the application of theory to practice and student takes a pulse and what they do if Required? enal Mode: this includes the participan eal time situation, interacting with it; bu event set up to simulate a 'real time' sc	how it is communicated, e.g. it decreases. t experiencing the scenario a at also accepting that it is an enario tting across?
and includes the way the Type of Manikin 3. The Phenom a complex r educational How do you Video O	the application of theory to practice and student takes a pulse and what they do if Required? enal Mode: this includes the participan eal time situation, interacting with it; bu event set up to simulate a 'real time' sco get the mechanism of injury / clinical set	how it is communicated, e.g. it decreases. t experiencing the scenario a at also accepting that it is an enario tting across? erbal Description Other
and includes the way the Type of Manikin 3. The Phenom a complex r educational How do you Video O	the application of theory to practice and student takes a pulse and what they do if Required? enal Mode: this includes the participan eal time situation, interacting with it; bu event set up to simulate a 'real time' sco get the mechanism of injury / clinical set Picture Set scene (as viewed) Ve	how it is communicated, e.g. it decreases. t experiencing the scenario a at also accepting that it is an enario tting across? erbal Description Other
and includes the way the Type of Manikin 3. The Phenom a complex r educational How do you Video O	the application of theory to practice and student takes a pulse and what they do if Required? enal Mode: this includes the participan eal time situation, interacting with it; bu event set up to simulate a 'real time' sco get the mechanism of injury / clinical set Picture Set scene (as viewed) Ve	how it is communicated, e.g. it decreases. t experiencing the scenario a at also accepting that it is an enario tting across? erbal Description Other

Fig 10: The suggested Model for the building of Scenarios (Halliwell et al. 2012)

Conclusion

In bringing this paper to a conclusion the authors ask those with responsibility for paramedic education and the failure of those undertaking clinical scenarios to consider the importance of ensuring that their scenarios have been designed to achieve a specific learning outcome, and that the scenarios are designed in a manner that ensures that the student has the technical and practical skills to achieve the required outcomes. Furthermore, we stress the importance of allowing logistical considerations to become a separate area for students to discuss, and comprehend, before they undertake a clinical scenario. We believe that by allowing time for consideration of logistical considerations, and treating these as a stand-alone element of any assessment we will be able to focus on the technical and practical competence and subsequent clinical safety of those being assessed.

References

Banks, F. Barlex, D, Owen-Jackson, G. Jarvinen, E. and Rutland, M. (2000) *Findings of an international teacher training research study the DEPTH Project*. Available at: http://www.iteaconnect.org/Conference/PATT/PATT10/BarlexBanks.pdf [Accessed 30 August 2012].

Barrett, D. (2007) The clinical role of nurse lecturers: Past, present, and future, *Nurse Education Today*, vol.27, no.5, pp.367-374.

Benner, P. (2001) From Novice to Expert, Prentice Hall: New Jersey, USA.

Campbell, M.D. McCloy, S.H. and Sagar, C.E. (1993) A theory of Performance, In *Personnal Selection in Organisations*, eds Schmitt, N. and Bormann, W.C., Josey-Bass: San Francisco.

Caroline, N. (2012) *Emergency Care in the Streets*, 6th edition, Jones and Bartlett: London.

Deaux, K., Dane, F.C. and Wrightsman, L.S. (1993) *Social Psychology in the '90s*, Brooks-Cole Publishing: Pacific Grove, California.

Della-Maggiore, V. (2005) Motor Memory Consolidation, Night and Day, *Journal of Neuroscience*, vol. 25, no.40, pp.9067-9068.

Dieckmann, P., Gaba, D. and Rall, M. (2007) Deepening the Theoretical Foundations of Patient Simulation as Social Practice, *Simulation in Healthcare: The Journal of the Society for Simulation in Healthcare*, Vol.2, no.3, pp.183-193.

Felder, R.M. and Brent, R. (2005) Understanding Student Differences, *Journal of Engineering Education*, vol.94, no.1, pp.57-72.

Fine, E.J., Ionita, C.C., Lohr, L. (2002) The history of the development of the cerebellar examination, *Seminal Neurology*, vol.22, no.4, pp.375–84.

Hayes, D. (2000) Cascade Training and Teachers' Professional Development, *ELT Journal: An International Journal for Teachers of English to Speakers of other languages*, vol.53, no.1, pp.22-27.

Howell, W.S. (1979) Theoretical Directions for intercultural communication, in Asanti, M.K, Newmark, E. and Blake, C.A. (Eds) *Handbook of Intercultural Communication*, pp.23-41, Sage: California, USA.

Howell, W.S. (1982) The Empathic Communicator, Wadsworth: California, USA.

Kenny, G., Pontin, D. and Moore, L. (2004) Negotiating socialisation: the journey of novice nurse academics into higher education, *Nurse Education Today*, vol.24, no.8, pp.629-637.

Knowles, M., Holton, E.F. and Swanson, R.A. *The adult learner: the definitive classic in adult education and resource development*, 6th edition, Elsevier: Burlington.

Klarian, M.A. (2012) *Nursing School at Universidad de las Americas (UDLA) Publication*, Laerdal Medical: USA.

Kneebone, R. (2003) Simulation in surgical training: educational issues and practical implications, *Medical Education*, vol.37, no.3, pp.267-277.

Krakauer, J.W., and Shadmehr, R. (2006) Consolidation of motor memory. *Trends in Neurosciences*, vol.29, pp.58-64.

Kruger, J. and Dunning, D. (1998) Unskilled and unaware of it: How difficulties in recognizing ones' own incompetence lead to inflated self assessments, *Journal of Personality and Social Psychology*, vol.77, pp. 1121-1134.

Locke, E.A. and Latham, G.P. (1990) Work Motivation: The high performance cycle, In *Work Motivation*, eds Kleinbeck, H., Quast, H., Thierry, H. and Hacker, H., Ernblaum: Hillsdale, USA.

Paas, F., Renkel, A., and Sweller, J. (2004) Cognitive Load Theory: Instructional Implications of the Interaction between Information Structures and Cognitive Architecture, *Instructional Science*, vol. 32, pp.1–8.

Palmer, J. and Palmer, N. (2007) *People Skills for Skilled People: Communication Excellence* Institute, Available at: http://www.talk2cei.com/ezine/archive/vol4_num2_workplace.htm [Accessed 30 August 2012].

Peyton, J.W.R. and Allery, L. (1998) Setting Objectives. In Peyton J.W.R. (Eds) *Teaching and Learning in Medical Practice*, Manticore Europe Limited: Rickmansworth.

Plato (translation Sterling, R. and Scott, W.) The Republic, Norton: New York.

Ridley, D.S., Schutz, P.A., Glanz, R.S. and Weinstein, C.E. (1992) Self-Regulated Learning: The Interactive Influence of Metacognitive Awareness and Goal-Setting, *The Journal of Experimental Education*, vol.60, no.4, pp.293-306.

Riley, R.H. (2008) Manual of simulation in healthcare, Oxford University Press: Oxford.

Roberts, J (1998) Language Teacher Education, Arnold: London.

Rogers, C.R. (1983) *Freedom to Learn for the 80's,* Merrill: New York.

Ryan, E. and Halliwell, D. (2012) Paramedic Decision making – how is it done? *Journal of Paramedic Practice*, vol.4, no. 6.

Scardamalia, M. and Bereiter, C. (1991) Higher Levels of Agency for Children in Knowledge Building: A Challenge for the Design of New Knowledge Media, *The Journal of the Learning Sciences*, vol.1, no.1, pp. 37-68.

Shannon, C. and Weaver, W. (1949) *The Mathematical Theory of Communication*, University of Illinois Ptress: Urbana, Illinois.

Tomei, L. (1998). *Learning theories -- A primer exercise*. Excerpts from Educational Psychology, a course taught by Tomei, L., Duquesne University and *Applying educational psychology in the classroom*, a text by Dembo, M.H., University of Southern California. Available at: http://www.duq.edu/~tomei/ed711psy/b_cai.htm [Accessed 30 August 2012].

Wolf, U., Rapoport, M.J., Schweizer, T.A. (2009) Evaluating the affective component of the cerebellar cognitive affective syndrome, *Journal of Neuropsychiatry Clinical Neuroscience*, vol.21, no.3, pp.245–5.

Wolpert, D.M., Diedrichsen, J. and Flanagan, J.R. (2011) *Nature Reviews NeuroScience*, vol.12, pp. 739 – 751.